

References:

1. Esau, K. *Anatomy of seed plants*. (John Wiley and Sons: New York, New York, 1977).
2. Drew, M. C., Jackson, M. B. & Giffard, S. Ethylene-promoted Adventitious Rooting and Development to Flooding in Zea mays L. *Planta* **88**, 83–88 (1979).
3. Bouranis, D. L., Chorianopoulou, S. N., Siyiannis, V. F., Protonotarios, V. E. & Hawkesford, M. J. Aerenchyma formation in roots of maize during sulphate starvation. *Planta* **217**, 382–91 (2003).
4. Drew, M. C., He, C. J. & Morgan, P. W. Decreased Ethylene Biosynthesis, and Induction of Aerenchyma, by Nitrogen- or Phosphate-Starvation in Adventitious Roots of Zea mays L. *Plant physiology* **91**, 266–71 (1989).
5. Fan, M., Zhu, J., Richards, C., Brown, K. M. & Lynch, J. P. Physiological roles for aerenchyma in phosphorus-stressed roots. *Functional Plant Biology* **30**, 493 (2003).
6. Zhu, J., Brown, K. M. & Lynch, J. P. Root cortical aerenchyma improves the drought tolerance of maize (Zea mays L.). *Plant, cell & environment* **33**, 740–9 (2010).
7. Burton, A. L., Brown, K. M. & Lynch, J. P. Phenotypic diversity of root anatomical and architectural traits in Zea species. *Crop Science* **53**, (2013).
8. Lynch, J. P. Roots of the Second Green Revolution. *Australian Journal of Botany* **55**, 493 (2007).
9. Postma, J. a & Lynch, J. P. Root cortical aerenchyma enhances growth of Zea mays L. on soils with suboptimal availability of nitrogen, phosphorus and potassium. *Plant physiology* (2011).doi:10.1104/pp.111.175489
10. Postma, J. a & Lynch, J. P. Theoretical evidence for the functional benefit of root cortical aerenchyma in soils with low phosphorus availability. *Annals of botany* **107**, 829–41 (2010).
11. OECD *OECD environmental Outlook to 2030*. (Paris, 2008).
12. U.N. *The 3rd United Nations world water development report: water in a changing world*. (Geneva, 2009).
13. Bhatt, Y. & et al. Smallholder system innovations in integrated watershed management. 109 (2006).
14. Manschadi, A. & et al. The role of root architectural traits in adaptation of wheat to water-limited environments. *Functional Plant Biology* **33**, 823–837 (2006).

15. Miller, a. J. & Cramer, M. D. Root Nitrogen Acquisition and Assimilation. *Plant and Soil* **274**, 1–36 (2005).
16. Barber, S. A. *Soil nutrient bioavailability: a mechanistic approach*. 414 (John Wiley & Sons, Inc.: 1995).
17. Marschner, H. *Minerak Nutrition of Higher Plants*. (San Diego, 1995).
18. Lynch, J. P. Steep, cheap and deep: an ideotype to optimize water and N acquisition by maize root systems. *Annals of botany* (2013).doi:10.1093/aob/mcs293
19. Lambers, H., Atkin, O. & Millenaar, F. Respiratory patterns in roots in relation to their functioning. *Plant Roots The Hidden Half* 521–552 (2002).
20. Saengwilai, P. Root traits for efficient nitrogen acquisition and Genome-wide association mapping of root anatomical traits in maize (*Zea mays* L.). (2013).