

Synthetic Turf Fiber Wear Test – Progress Report

Updated June 2016



Center for Sports Surface Research Department of Plant Science The Pennsylvania State University 116 Agricultural Sciences and Industries Building University Park, PA 16802 814-865-2571

Lisport wear testing was conducted at Penn State's Center for Sports Surface Research, University Park, PA. All samples were exposed to a total of 30,000 cycles on a Lisport wear tester.

Testing Methods

Fiber wear tests were conducted using a Lisport wear tester (pictured below). The Lisport wear tester consists of two cylinders outfitted with studs (cleats) that simluate field use. Different sprocket sizes on each cylinder allow for a sliding movement of one of the cylinders. The model used in this testing also included a sample tray that produced movement transverse to the linear movement of the cylinders, allowing for even wear across the entire sample. Each cycle is roughly equivalent to one hour of field use by users wearing cleated shoes. The method used is considered a modified version of both the European Standard for Surfaces for Outdoor Sports Areas - Exposure of Synthetic Turf to Simulated Wear (EN 15306) and the FIFA Quality Concept for Football Turf – Handbook of Test Methods (May, 2009 edition) as our machine includes plastic cleats with metal tips instead cleats made of 100% plastic. Each sample was filled with crumb rubber to a depth based on manufacturer specifications. Ten fibers were randomly removed after every 10,000 cycles for evaluation.



Fiber Evaluation





Samples used in testing were obtained from athletic field managers and installers. If you would like to participate in our testing program, please visit our website for more details: <u>http://plantscience.psu.edu/research/centers/ssrc/fibertest</u>. This report will be updated regularly as more samples are tested. Be sure to check back often for the most current results.

Table of Contents

AstroTurf GameDay Grass 3D60H (Tested April 2011)	4
AstroTurf GameDay Grass 3D with Astroflect (Tested May 2011)	. 10
ATG Sports RamTurf (Tested August 2011)	. 16
FieldTurf Duraspine Pro (Tested June 2011)	. 22
FieldTurf Revolution (Tested April 2011)	. 28
FieldTurf Revolution 360 (Tested December 2015)	. 34
GreenFields MX (Tested May 2016)	. 40
Hellas Matrix (Tested June 2011)	. 46
Mondo Monofibre 3NX (Tested May 2011)	. 52
Shaw Sportexe PowerBlade HP+ (Tested June 2011)	. 58
Sportexe Powerblade (1 st Generation, Tested April 2011)	. 64
Sprinturf Ultrablade DF* (Tested October 2011)	. 70
UBU Sports Balance MN69 (Tested June 2011)	. 76
UBU Sports Speed M4-M (Tested June 2011)	. 82
UBU Sports M4-M (Tested June 2016)	. 88
UBU Sports M4-M -Red Fibers (Tested June 2016)	. 94
UBU Sports Speed M6-M (Tested July 2011)	100

AstroTurf GameDay Grass 3D60H (Tested April 2011)

# of cycles	Good	Hair-Splitting	Fractured	Complete Splitting
0 cycles	10	0	0	0
10,000 cycles	10	0	0	0
20,000 cycles	6	0	3	1
30,000 cycles	0	1	7	2

Fiber classifications for each 10,000 cycle interval from 10 random fibers removed from sample.



Cross section of AstroTurf GameDay Grass 3D fiber from sample tested.











AstroTurf GameDay Grass 3D with Astroflect (Tested May 2011)

Fiber classifications for each 10,000 cycle interval from 10 random fibers removed from sample.

# of cycles	Good	Hair-Splitting	Fractured	Complete Splitting
0 cycles	10	0	0	0
10,000 cycles	5	2	2	1
20,000 cycles	0	2	4	4
30,000 cycles	0	0	3	7



Cross section of AstroTurf GamedayGrass 3D with Astroflect fiber from sample tested.











ATG Sports RamTurf	(Tested August 2011)
---------------------------	----------------------

# of cycles	Good	Hair-Splitting*	Fractured	Complete Splitting
0 cycles	10	0	0	0
10,000 cycles	10	0	0	0
20,000 cycles	5	5	0	0
30,000 cycles	4	6	0	0

*Hairsplitting on edges of fibers only



Cross section of ATG Sports RamTurf fiber from sample tested.











# of cycles	Good	Hair-Splitting	Fractured	Complete Splitting
0 cycles	10	0	0	0
10,000 cycles	6	4	0	0
20,000 cycles	4	4	2	0
30,000 cycles	1	1	3	5

FieldTurf Duraspine Pro (Tested June 2011)



Cross section of FieldTurf Duraspine Pro fiber from sample tested.











FieldTurf Revolution (Tested April 2011)

Fiber classifications for each 10,000 cycle interval from 10 random fibers removed from sample.

# of cycles	Good	Hair-Splitting*	Fractured	Complete Splitting
0 cycles	10	0	0	0
10,000 cycles	10	0	0	0
20,000 cycles	9	1	0	0
30,000 cycles	7	3	0	0

*Hairsplitting on edges of fibers only



Cross section of FieldTurf Revolution fiber from sample tested.











FieldTurf Revolution 360 (Tested December 2015)

sample.				
# of cycles	Good	Hair-Splitting*	Fractured	Complete Splitting
0 cycles	10	0	0	0
10,000 cycles	10	0	0	0
20,000 cycles	10	0	0	0
30,000 cycles	10	0	0	0

Fiber classifications for each 10,000 cycle interval from 10 random fibers removed from sample.



Cross section of FieldTurf Revolution 360 fiber from sample tested.










GreenFields MX (Tested May 2016)

Fiber classifications for each 10,000 cycle interval from 10 random fibers removed from sample.

# of cycles	Good	Hair-Splitting*	Fractured	Complete Splitting
0 cycles	10	0	0	0
10,000 cycles	9	1	0	0
20,000 cycles	4	1	4	0
30,000 cycles	2	0	3	5



Cross section of GreenFields MX fiber from sample tested.











Hellas Matrix (Tested June 2011)

# of cycles	Good	Hair-Splitting*	Fractured*	Complete Splitting
0 cycles	10	0	0	0
10,000 cycles	4	5	1	0
20,000 cycles	4	6	0	0
30,000 cycles	1	7	2	0

*Hairsplitting and fracturing on edges of fibers only



Cross section of Hellas Matrix fiber from sample tested.











Mondo Monofibre 3NX (Tested May 2011)

Fiber classifications for each 10,000 cycle interval from 10 random fibers removed from	
sample.	

# of cycles	Good	Hair-Splitting	Fractured	Complete Splitting
0 cycles	10	0	0	0
10,000 cycles	9	1	0	0
20,000 cycles	2	2	1	5
30,000 cycles	1	1	2	6



Cross section of Mondo Monofibre 3NX fiber from sample tested.











Shaw Sportexe PowerBlade HP+ (Tested June 2011)

# of cycles	Good	Hair-Splitting*	Fractured*	Complete Splitting
0 cycles	10	0	0	0
10,000 cycles	8	2	0	0
20,000 cycles	6	4	0	0
30,000 cycles	4	5	1	0

*Hairsplitting and fracturing on edges of fibers only



Cross section of Shaw Sportexe PowerBlade HP+ fiber from sample tested.











Sportexe Powerblade (1st Generation, Tested April 2011)

# of cycles	Good	Hair-Splitting	Fractured	Complete Splitting
0 cycles	10	0	0	0
10,000 cycles	3	4	3	0
20,000 cycles	3	3	2	2
30,000 cycles	0	2	4	4

Fiber classifications for each 10,000 cycle interval from 10 random fibers removed from sample.



Cross section of Sportexe Powerblade (1st generation) fiber from sample tested.











Sprinturf Ultrablade DF* (Tested October 2011)

# of cycles	Good	Hair-Splitting	Fractured	Complete Splitting
0 cycles	10	0	0	0
10,000 cycles	3	6	1	0
20,000 cycles	0	2	6	2
30,000 cycles	0	1	6	3

*Sprinturf Ultrablade contains both parallel-fibrilated (slit-film) fibers and non-extruded monofilament tape. In this test, only monofilament tape fibers were removed for evaluation



Cross section of Sprinturf Ultrablade DF non-extruded monofilament tape fiber from sample tested.










UBU Sports Balance MN69 (Tested June 2011)

# of cycles	Good	Hair-Splitting	Fractured	Complete Splitting
0 cycles	10	0	0	0
10,000 cycles	7	3*	0	0
20,000 cycles	6	4*	0	0
30,000 cycles	4	4**	1	1

*Hairsplitting on edges of fibers only

**3 fibers with hairsplitting on edges, 1 fiber with hairsplitting down center



Cross section of UBU Sports Balance MN69 fiber from sample tested.











UBU Sports Speed M4-M	(Tested June 2011))
------------------------------	--------------------	---

# of cycles	Good	Hair-Splitting*	Fractured	Complete Splitting
0 cycles	10	0	0	0
10,000 cycles	10	0	0	0
20,000 cycles	6	4	0	0
30,000 cycles	5	5	0	0

*Hairsplitting on edges of fibers only



Cross section of UBU Sports Speed M4-M fiber from sample tested.











UBU Sports M4-M (Tested June 2016)

# of cycles	Good	Hair-Splitting*	Fractured*	Complete Splitting
0 cycles	10	0	0	0
10,000 cycles	10	0	0	0
20,000 cycles	8	2	0	0
30,000 cycles	9	1	0	0

*Hairsplitting and fracturing on edges of fibers only



Cross section of UBU Sports M4-M fiber from sample tested.











# of cycles	Good	Hair-Splitting*	Fractured*	Complete Splitting
0 cycles	10	0	0	0
10,000 cycles	8	2	0	0
20,000 cycles	6	4	0	0
30,000 cycles	5	4	1	0

*Hairsplitting and fracturing on edges of fibers only



Cross section of UBU Sports M4-M fiber from sample tested.











# of cycles	Good	Hair-Splitting*	Fractured	Complete Splitting
0 cycles	10	0	0	0
10,000 cycles	9	1	0	0
20,000 cycles	6	4	0	0
30,000 cycles	6	4	0	0

*Hairsplitting on edges of fibers only



Cross section of UBU Sports Speed M6-M fiber from sample tested.





UBU Sports Speed M6-M 20,000 Cycles



